Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the

application:

1. (original) A method for detecting Salmonella antigens in a sample, said method

comprising the steps of:

combining said sample with a tracer and an anti-Salmonella antibody to form an assay

mixture, said tracer comprising a fluorophore conjugated to an oligosaccharide from a

Salmonella cell wall lipopolysaccharide, said tracer being able to bind to said anti-Salmonella

antibody to produce a detectable change in fluorescence polarization; and

measuring the fluorescence polarization of said assay mixture to obtain a measured

fluorescence polarization value, wherein said measured fluorescence polarization value is related

to the concentration of Salmonella antigens in said sample.

2. (original) The method of claim 1, wherein said fluorophore is fluorescein

isothiocyanate, isomer I.

3. (original) The method of claim 1, wherein said sample is a cultured sample.

4. (original) The method of claim 1, wherein said sample is from a food product.

5. (original) The method of claim 1, wherein said sample is from animal feces.

2

6. (original) The method of claim 1, wherein combining said sample with a tracer and an

anti-Salmonella antibody to form an assay mixture comprises:

combining said sample with said anti-Salmonella antibody to provide a blank mixture;

and

combining said blank mixture with said tracer to provide said assay mixture.

7. (original) The method of claim 6, further comprising:

measuring the fluorescence polarization of said blank mixture to provide a blank

fluorescence polarization value.

8. (original) The method of claim 7, further comprising:

subtracting said blank polarization value from said measured fluorescence polarization

value to provide a blank-corrected fluorescence polarization value, wherein said measured

fluorescence polarization value is related to the concentration of Salmonella antigens in said

sample.

Claims 9-13: Canceled

14. (currently amended) An assay kit for testing for detecting Salmonella antigens

contamination in a sample, said assay kit comprising:

an anti-Salmonella antibody and a tracer, each in an amount suitable for at least one

fluorescence polarization assay to test for Salmonella antigens contamination in said sample,

packaging, and instructions for using said anti-Salmonella antibody and said tracer in accordance

3

with the method of claim 1 said fluorescence polarization assay, said tracer comprising a fluorophore conjugated to an oligosaccharide from a *Salmonella* cell wall lipopolysaccharide, said tracer being able to bind to said anti-*Salmonella* antibody to produce a detectable change in fluorescence polarization.

- 15. (original) The assay kit of claim 14, wherein said fluorophore is fluorescein isothiocyanate, isomer I.
 - 16. (original) The assay kit of claim 14, wherein said sample is a cultured sample.
 - 17. (original) The assay kit of claim 14, wherein said sample is from a food product.
 - 18. (original) The assay kit of claim 14, wherein said sample is from animal feces.
 - 19. (new) The method of claim 1, wherein said sample is a bacterial colony.
 - 20. (new) The assay kit of claim 14, wherein said sample is a bacterial colony.

4